

Integrating Storage & Material Handling
Solutions in the Global Economy

Material Handling Products

SOLUTIONS FOR PICKING, ASSEMBLY, PROCESSING,
STORAGE, AND DISTRIBUTION APPLICATIONS

TRUSTED PRODUCTS • CUSTOM SOLUTIONS • QUALITY COLLECTIONS



ABOUT REB

REB Storage Systems International specializes in the design, engineering, sales, and installation of storage systems and material handling products for warehouses, distribution centers, manufacturing facilities, records storage environments, and other companies with storage needs. After 50 years in business, REB systems are renowned for innovative design, structural integrity, safety, durability, and value.

THE RIGHT SOLUTIONS

With a high degree of specialized knowledge, layout assistance, project management, available inventories, and custom industrial storage systems, we deliver customers the best solution for their project. Our network of manufacturers and strategic partners have enabled REB to become the source of integration for customers' storage system and material handling product needs. REB is well known for exceptional customer service and quality products at the best price.

CUSTOMER SATISFACTION

Our team is 100% focused on customer satisfaction; we emphasize the ongoing relationship, not the immediate sale. That is why REB customers come back to REB year after year. Our goal is to better understand your business so that we are able to provide long-term value to you.



CARTS AND TRUCKS



page 3 - 14



CONTAINERS, BINS, AND TRAYS



page 15 - 24



HAMPERS



page 25 - 26



LADDERS



page 27 - 28



PALLET TRUCKS



page 29



FANS



page 30



WORKBENCHES AND WORKSTATIONS



page 31 - 32



MODULAR BUILDING SOLUTIONS



page 33 - 34



WIRE CARTS

Enclosed Wire Carts



Enclosure carts are an effective way to keep contents from moving or falling off during transportation. Enclosure carts using rods and tabs are adaptable to any shelf position. Enclosure dolly base truck using rods and tabs allows for heavier load transport. The rods and tabs act as a perimeter to retain product.

- Capacity: 600 lbs. - 800 lbs.

Depth	Width	Height	Shelves
18"	36", 48", 60"	69", 70", 80", 81"	4, 5
24"	36", 48", 60"	69", 70", 80", 81"	4, 5

Wire Utility Carts



Wire utility carts may be small, but they are strong as well as nimble! The U-shaped handles provide an ergonomic push height that is easy for the user to maneuver. The 5" polyurethane casters give the cart excellent rollability and keeps noise to a minimum. Give versatility to any operation: food service, hospitals, and maintenance.

- Consists of 2 U-handles and 4 swivel casters (2 with brakes)
- Chrome wire, black wire, or solid shelf combinations
- Capacity: 800 lbs.

Depth	Width	Height	Shelves
18"	36", 42", 48"	37.5"	2, 3
24"	36", 42", 48"	37.5"	2, 3

Mobile Wire Carts



Mobile wire stem caster carts add versatility and flexibility to any operation, creating a transport system. Stem caster cart with solid bottom shelf. The unique combination of wire and solid shelves allows for air circulation and high visibility. The solid shelf in the bottom position prevents dust and dirt to rise and contains spillage, acting as an easy way to transport fluids and small packaged items.

- Capacity: 600 lbs. - 800 lbs.

Depth	Width	Height	Shelves	Capacity (lbs.)
18"	36", 48", 60"	69", 70", 80", 81"	4, 5	600
24"	36", 48", 60"	69", 70", 80", 81"	4, 5	600
36"	18", 24"	69", 80"	4	800
48"	18", 24"	69", 80"	4	800
60"	18", 24"	69", 80"	4	600

WIRE CARTS - CON'T.

Wire Bin Carts



Modular in design, the slide positions are adjustable on 1" centers enabling the cart to work with various bins and/or trays.

- Finish: Chrome
- Dividable Grids Options: 2 or 3 dividers available

Dimensions L x W x H	No. Bins
21" x 24" x 45"	4
21" x 24" x 69"	7, 11
24" x 36" x 69"	4
24" x 48" x 69"	4
24" x 60" x 69"	4

Dimensions L x W x H	No. Bins
36" x 30" x 42"	4
36" x 30" x 69"	10

Custom sizes or number of bins available.

Wire Security Carts with Stem Casters



Chrome wire security units allow a high degree of visibility to your products while they remain safe and secure. These heavy duty security units can be stationary or mobile by adding stem casters or a dolly base with plate casters. Security doors and panels can be purchased separately if you wish to change an existing cart or shelving system unit into a security unit.

- Capacity: 600 lbs. - 800 lbs.

Depth	Width	Height	Capacity (lbs.)
36"	24"	60", 63", 69", 70"	800
48"	24"	60", 63", 69", 70"	800
60"	24"	60", 63", 69", 70"	600

Wire Tray Carts



Tray carts are offered in half size and full size units, designed to handle work in process. Trays can be used on tray cart for conductive applications with the addition of aluminum split sleeves and a drag chain. Tray stop can be added to retain trays during transporting. All trays are manufactured of fiberglass reinforced thermoset material and can withstand temperatures of -40° to 250°F.

- Finish: Chrome
- Tray Capacity: 200 lbs., evenly distributed
- Tray Size: 18" x 26"

Model No.	Outer Dimensions	Tray Capacity
TC-19	30" x 18" x 39"	19
TC-31	30" x 21" x 39"	31
TC-39	30" x 18" x 69"	39
TC-EL38	21.75" x 27" x 69"	38

Replenishment Carts



Combines product visibility with instant mobility of your overstock. Higher fill-rates on the sales floor result in lower back room inventory levels. Time savings in the replenishment process delivers constant savings and an immediate ROI.

FEATURES

- Tested and rated for 1,100 lb. stationary; 650 lb. in motion
- Sliding shelves for easy product access
- Available in 23" and 28" widths
- Total Height: 60.25"
- Effective Height: 52.25"
- Weight as shown: 86 lbs.

**Dimensions
(W x L)**

23.3" x 32.1"
28.4" x 32.1"



Beverage Carts



Ideal tool for beverage stock replenishment. Product is visible on the shelves while soft plastic rims secure the beverage containers in position and keep them from rattling. The beverage insert features four different sized slots to fit a variety of products.

FEATURES

- Tested and rated for 1,100 lb. stationary; 650 lb. in motion
- Compact design for in-aisle maneuverability
- Adaptable to product characteristics
- Total Height: 60.25"
- Effective Height: 52.25"
- Weight as shown: 94 lbs.

**Dimensions
(W x L)**

23.3" x 32.1"



Pegboard Carts



Ideal for restocking checkout lanes and point-of-purchase displays. The pegboard insert is locked in place and used to hold "peg-able" items such as office products, snacks, candy, gift cards, and cosmetics.

FEATURES

- Lower inventory levels through product visibility and mobility
- Bin to store non-peg items as well
- No tools required
- Total Height: 60.25"
- Effective Height: 52.25"
- Weight as shown: 74 lbs.

**Dimensions
(W x L)**

23.3" x 32.1"
28.4" x 32.1"



Conveyor Tray Carts



Ideal for restocking checkout lanes and point-of-purchase displays.

FEATURES

- Tested and rated for 1,100 lb. stationary; 650 lb. in motion
- Compact design for in-aisle maneuverability
- Adaptable to product characteristics
- Total Height: 60.25"
- Effective Height: 52.25"
- Weight as shown: 94 lbs.

**Dimensions
(W x L)**

23.3" x 32.1"



Combination Carts



Combines the benefits of the Replenishment Cart with the benefits of the Conveyor Tray Cart, while utilizing additional vertical space. Bins, shelves and a large variety of accessories, such as dividers and separators, keep products organized. Holds up to 12 bins, up to 12 shelves or a combination of both.

FEATURES

- Tested and rated for 1,100 lb. stationary; 650 lb. in motion
- Reduced time and labor for shelf replenishment
- Bins simply slide on; are easy to access
- Total Height: 75"
- Effective Height: 67"
- Weight as shown: 94 lbs.

**Dimensions
(W x L)**

23.3" x 32.1"



Narrow Bulk Carts



Allows the user to move totes and bulky products safely while eliminating product damage; as well as significantly shortening the delivery time. The reusable cart was engineered to utilize the maximum foot-print available on a trailer.

FEATURES

- Tested and rated for 1,100 lb. stationary; 650 lb. in motion
- Reusable equipment: No disposal of pallets or shrink-wrap
- Max. cube utilization on 99" wide trailer

**Dimensions
(W x L)**

23.3" x 32.1"



Full-Case Bulk Carts



Used to transport full cases from the distribution center to the point of sale. The reusable cart is designed to quickly and safely move bulky products without product damage. Tested and rated for 1,100 lb. stationary; 650 lb. in motion.

FEATURES

- Straps/net secure load, prevent product damage
- Can compress 6 to 1 to reduce footprint
- Total Height: 75"
- Effective Height: 67"
- Weight as shown: 68 lbs.

**Dimensions
(W x L)**

23.3" x 32.1"

28.4" x 32.1"



XL Bulk Carts



The XL Bulk Cart sports a massive holding capacity, allowing it to meet the extreme requirements when it comes to moving large amounts of material or product. The solid wire mesh panels located on the front and back form a sturdy metal cube along with the metal sidewalls.

FEATURES

- Hinged cargo nets with Velcro closure to secure load
- 6 heavy duty casters provide easy maneuverability
- Holding capacity of 71 cubic feet
- Total Height: 75"
- Effective Height: 67"
- Weight as shown: 68 lbs.

**Dimensions
(W x L)**

57" x 32"



LADDER CARTS

Aluminum ladder carts provide increased efficiency for picking and packaging operations. All welded construction delivers extra strength for heavy loads. 5" wheels are standard, can be upgraded to increase capacity.

Product	Dimensions L x W x H	Weight Cap. (lbs.)	No. Steps	No. Shelves
S-3-1	20" x 45" x 50"	500	3	2
S-3-1 LD	20" x 45" x 50"	500	3	2
S-5-1	20" x 45" x 71.5"	500	5	3
S-6-1	21.5" x 49" x 71.5"	500	5	3
SH-6-WM	21.5" x 49" x 85"	500	5	3
SH-6-TR	30.5" x 70" x 108"	130	5	3



S-3-1



S-3-1 LD



S-5-1



S-6-1



SH-6-WM



SH-6-TR

SERVICE CARTS

12-Gauge Medium-Duty Service Carts



Rugged use carts for transporting small packages, parts, and heavy items. Durable 12-gauge steel shelves and caster mounts for long lasting use.

- Capacity: 1,200 lbs., evenly distributed
- 1.5" shelf lips up for retention

Model No.	Width Range	Length Range	Overall Height	No. Shelves	Shelf Clearance
SA	24" - 36"	30" - 72"	39"	2	25"
SB	18" - 36"	24" - 72"	35"	2	25"
SC	18" - 36"	24" - 72"	35"	3	12"
LH	24" - 36"	30" - 72"	39"	3	12"
LK	24" - 30"	30" - 72"	35"	2	19"

12-Gauge Reinforced Heavy-Duty Service Carts



Extra-durable carts for transporting heavier boxes, parts, etc. (Models SD, SE) and super heavy-duty carts for transporting materials (Models SF, SK).

- Capacity: 2,400 lbs. - 4,800 lbs., evenly distributed
- 1.5" top shelf lips down, flush, and other shelves lips up

Model No.	Width Range	Length Range	Overall Height	No. Shelves	Shelf Clearance	Capacity (lbs.)
SD	24" - 36"	30" - 72"	38"	2	25"	4,800
SE	24" - 36"	30" - 72"	36"	2	25"	2,400
SF	24" - 36"	30" - 72"	36"	3	12"	2,400
SK	24" - 36"	30" - 72"	38"	3	12"	4,800

14-Gauge Medium-Duty Service Carts



Medium-duty steel carts for transport of heavy items.

- Capacity: 800 lbs., evenly distributed
- 1.5" top shelf lips up for retention

Model No.	Width Range	Length Range	Overall Height	No. Shelves	Shelf Clearance
FE	18" - 24"	24" - 48"	33"	2	25"
FG	18" - 24"	24" - 48"	33"	3	11"
FH	18" - 24"	24" - 48"	40"	2	20"
FW	18" - 24"	24" - 48"	28"	2	20"

Medium-Duty, Low Profile Service Carts



Low, flush top shelf for a shorter distance when lifting heavier items.

- Capacity: 1,200 lbs., evenly distributed
- 1.5" bottom shelf lips up for retention

Model No.	Width Range	Length Range	Overall Height	No. Shelves	Shelf Clearance
SG	18" - 36"	24" - 72"	35"	2	20"
SH	18" - 36"	24" - 72"	37"	2	17"
SL	18" - 36"	24" - 72"	39"	2	17"
SS	24" - 36"	30" - 72"	43"	2	17"
LF	24" - 30"	36" - 60"	43"	3	9"
LZ	24" - 30"	36" - 60"	39"	3	9"

Heavy-Duty, Low Profile Reinforced Service Carts



Extra durable carts (flush top) for heavy metal parts, dies, and more.

- Capacity: 2,400 lbs. - 4,800 lbs., evenly distributed
- 1.5" top shelf lips up for retention

Model No.	Width Range	Length Range	Overall Height	No. Shelves	Shelf Clearance	Capacity (lbs.)
SW	24" - 36"	30" - 72"	40"	2	17"	4,800
SX	24" - 36"	30" - 72"	42"	2	17"	2,400
LJ	24" - 30"	36" - 60"	40"	3	9"	2,400
LL	24" - 30"	36" - 60"	43"	3	9"	4,800

12-Gauge Service Carts with Ergonomic Handles



Extra and super heavy-duty carts for transporting materials. With ergonomic handle.

- Capacity: 1,200 lbs. - 4,800 lbs., evenly distributed
- 1.5" top shelf lips down (flush) and other shelves lips up

Model No.	Width Range	Length Range	Overall Height	No. Shelves	Shelf Clearance	Capacity (lbs.)
EF	24" - 36"	30" - 72"	40"	3	12"	2,400
EN	24" - 36"	30" - 72"	42"	3	25"	4,800
ER	24"-36"	30" - 72"	40"	2	25"	2,400
ES	18" - 36"	30" - 72"	39"	2	25"	1,200
ET	24"-36"	30" - 72"	39"	3	12"	1,200
LR	24" - 36"	30" - 72"	43"	2	25"	1,200

12-Gauge Service Carts with Writing Stand Handles



Rugged general use carts with a built-in writing stand for record keeping.

- Capacity: 1,200 lbs., evenly distributed
- 1.5" shelf lips up for retention

Model No.	Width Range	Length Range	Overall Height	No. Shelves	Shelf Clearance
LO	18" - 36"	30" - 72"	39"	3	12"
SO	18" - 36"	30" - 72"	39"	2	25"

Stainless Steel Service Carts



The stainless steel utility cart is a mobile application used for the effective transportation and storage of items.

- Open shelving allows for easy access to stored items
- Capacity: 1,200 lbs., evenly distributed

Model No.	No. Shelves	Outer Dimensions
WRSC-1836	2, 3	18" x 36" x 37.5"
WRSC-1842	2, 3	18" x 42" x 37.5"
WRSC-1848	2, 3	18" x 48" x 37.5"
WRSC-2436	2, 3	24" x 36" x 37.5"
WRSC-2442	2, 3	24" x 42" x 37.5"
WRSC-2448	2, 3	24" x 48" x 37.5"

Convertible Hand Truck



- Overall width: 21"
- Frame width: 12"
- Platform bed length: 47.5"
- Nose plate: 18" x 7.5" die cast aluminum



- Capacity:
 - Hand truck: 500 lbs.
 - Platform truck: 1,000 lbs.
- 10" Wheel Options:
 - Microcellular foam
 - Interlocking microcellular foam
 - Balloon cushion

Long Convertible Hand Truck



- Overall width: 21"
- Frame width: 12"
- Platform bed length: 51"
- Nose plate: 18" x 7.5" die cast aluminum



- Capacity:
 - Hand truck: 500 lbs.
 - Platform truck: 1,000 lbs.
- 10" Wheel Options:
 - Microcellular foam
 - Interlocking microcellular foam
 - Balloon cushion

Extra Long Convertible Hand Truck



- Overall width: 22.75"
- Frame width: 14"
- Platform bed length: 53.75"
- Nose plate: 18" x 9" die cast aluminum



- Capacity:
 - Hand truck: 500 lbs.
 - Platform truck: 1,250 lbs.
- 10" Wheel Options:
 - 4-ply pneumatic
 - Microcellular foam
 - Balloon cushion

PLATFORM TRUCKS

Raised Platform Trucks



These platform trucks are raised up to allow for easier load and unload with less lifting and bending. Heavy-duty options are represented with flush load, as well as steel decks with lips up for retention.

- Standard Dimensions (W x L): 24" x 48", 30" x 60"
- Heights are fixed or adjustable, varies by model
- Capacity: 1,200 lbs. - 2,000 lbs.

OPTIONS

- Structural foam
- 12-gauge steel - flush deck
- 12-gauge steel - retention lipped deck
- Hardwood
- Ergonomic height instrument



Medium-Duty Platform Trucks



Durable 12-gauge steel flatbed transporter for packages and boxes.

- Width Options: 18", 24", 30", 36"
- Length Options: 36", 48", 60", 72"
- Deck Height Options: 9", 12"
- Capacity: 1,200 lbs. - 2,000 lbs.

OPTIONS

- Flush lip
- Retention lip
- Pneumatic casters
- Non-skin instrument



Heavy-Duty Platform Trucks



Heavy and extra heavy-duty steel flatbed transporters, with a durable 12-gauge steel platform and 12-gauge caster mounts. Deck has extra underbracing on some models for extra support.

- Width Options: 24", 30", 36"
- Length Options: 36", 48", 60", 72"
- Deck Height Options: 9", 10", 12"

OPTIONS

- 2,000 lbs. capacity with 5" casters
- 3,000 lbs. capacity with 6" casters
- 4,000 lbs. capacity with 8" casters



Plastic Decked Platform Trucks



Heavy-duty plastic flatbed transporters with an all welded frame, constructed of HDPE-molded structural plastic deck, damage and chemical resistant surface.

- Width Options: 24", 30"
- Length Options: 48", 60"
- Deck Height: 10"
- Capacity: 2,500 lbs., evenly distributed

OPTIONS

- Flush plastic deck with 4 wheels
- Flush plastic deck with 6 wheels



Wood Capped Steel and Hardwood Platform Trucks



Heavy-duty flatbed transporters, complete with higher deck levels for easier load and unload with less lifting and bending.

- Width Options: 24", 30", 36"
- Length Options: 48", 60", 72"
- Deck Height Options: 19", 20"
- Capacity: 2,500 lbs., evenly distributed

OPTIONS

- High deck steel
- High deck wood capped steel
- High deck steel with rails



Long Roll, Stakes, and Diamond Plate Platform Trucks



Heavy duty steel flatbed transporter for longer materials. Side rails help keep materials securely on the cart, with a platform that lips down for flush load and unload.

- Width Options: 18", 24", 30", 36"
- Length Options: 36", 48", 60", 72"
- Deck Height Options: 9", 10"
- Capacity: 1,200 lbs. - 2,000 lbs., evenly distributed

OPTIONS

- Long roll with sides
- Removable stakes
- Diamond-plate deck



Wire-Sided Platform Trucks



Wire-sided heavy-duty wood deck transporter for packages and boxes. Sealed wood deck for long lasting use, with a flush deck for easy load and unload.

- Standard Dimensions (W x L): 24" x 48", 30" x 60"
- Deck Height: 10"
- Capacity: 1,200 lbs.

OPTIONS

- 2 wire ends
- 2 wire ends and 1 wire side
- 2 wire ends and 2 wire sides



Twin Handle Platform Trucks



Heavy-duty steel flatbed transporter for packages and boxes, with twin 1.25" tubular handles (each end) with smooth radius bend for comfort and uniform appearance.

- Width Options: 18", 24", 30", 36"
- Length Options: 36", 48", 60", 72"
- Deck Height Options: 9", 10"
- Capacity: 1,200 lbs. - 3,000 lbs., evenly distributed

OPTIONS

- 4-wheeled
- 6-wheeled



Push and Pull Platform Trucks



Heavy-duty steel flatbed transporters, with a durable 12-gauge steel platform and 12-gauge caster mounts.

- Width Options: 18", 24", 30", 36"
- Length Options: 36", 48", 60", 72"
- Deck Height Options: 8", 9"
- Capacity: 1,200 lbs., evenly distributed

OPTIONS

- Diamond patterned casters
- Tubular deck



PLATFORM TRUCKS - CON'T.

Deep Box Platform Trucks



Heavy-duty flatbed transporters with walls for retention.

- Width Options: 24", 30"
- Length Options: 48", 60"
- Deck Height: 9"
- Capacity: 2,000 lbs., evenly distributed

OPTIONS

- 3" wall height
- 6" wall height
- 12" wall height



PLASTIC TRUCKS

Heavy-Duty Plastic Linen Transport Trucks



Tough polyethylene construction with a number of available options including custom designs, drain holes, stenciled numbers and letters, hinged lids, handles, and spring lifts.

MATERIAL OPTIONS

- Phenolic
- Polyurethane
- Steel
- Hi-tech poly
- Hi-tech rubber

Inside Dimensions	Outside Dimensions	Capacity
46" x 26.5" x 46"	47" x 27.5" x 54"	36 ft ³

Plastic Forkliftable Trucks



Two-way forkliftable plastic bulk truck for material handling, bulk laundry and textiles. Tough polyethylene construction with a number of available options including custom designs, drain holes, stenciled numbers and letters, hinged lids, handles, and spring lifts.

MATERIAL OPTIONS

- Phenolic
- Polyurethane
- Steel
- Hi-tech poly
- Hi-tech rubber

Inside Dimensions	Outside Dimensions	Capacity
45" x 44" x 36"	46" x 45" x 41"	48 ft ³

BINS


Hang and Stack Plastic Bins



Optimize your storage space with industry-leading hanging and stacking plastic storage bins. Heavy-duty, industrial-grade polymer bins stack together or hang from louvered racks and panels, rail racks, storage cabinets and louvered carts for high-density storage. They are corrosion-proof and unaffected by weak acids and alkalis. Dividers, lids and a wide range of labeling options are also available.

Model	L	W	H	Order Set Qty.	Load Cap. on Rack (lbs.)
30210	5.375"	4.125"	3"	24	10
30220	7.375"	4.125"	3"	24	10
30237	9.25"	6"	5"	12	20
30224	10.875"	4.125"	4"	12	20
30230	10.875"	5.5"	5"	12	30
30234	14.75"	5.5"	5"	12	50
30239	10.75"	8.25"	7"	6	50
30240	14.75"	8.25"	7"	12	60
30265	18"	8.25"	9"	6	60
30235	10.875"	11"	5"	6	50
30260	18"	11"	10"	6	60
30255	10.875"	16.5"	5"	6	60
30250	14.75"	16.5"	7"	6	75
30270	18"	16.5"	11"	3	75
30320	8.625"	33"	5"	4	80

Clear Hang and Stack Plastic Bins



A visible difference in storage and organization! Clear bins provide easy and maximum visibility to users in a sleek, modern design. These clear hang and stack bins are constructed of super-tough polycarbonate and can be used as autoclave for use in medical applications. Optional lids protect contents from dust — will stack with lids in place. Optional clear length and width dividers available. Perfect for a variety of settings, ranging from industrial to healthcare.

Model	L	W	H	Order Set Qty.	Load Cap. on Rack (lbs.)
305A1	5.375"	4.125"	3.25"	16	10
305A3	7.375"	4.125"	3.25"	16	10
305A5	10.875"	4.125"	3.25"	12	15
305B1	10.875"	5.5"	5.25"	12	25

Louvered Panel and Rack Handling Bins



Louvered panel and rack handling bins can be hung from any of its four sides on louvered panels or racks. Hang at an angle to create a sloped picking bin to keep parts highly visible and easily accessible. Hanging bins from the long side minimizes intrusion into the workspace. Also hangs from the front or back on rail racks. Louvered panel and rack handling bins feature optional dust-protection lids and dividers. Lids attach to either end of the bin for maximum versatility and nest when empty for space savings.

Model	L	W	H	Order Set Qty.
36110	11.5"	4.125"	4.5"	16
36120	11.5"	6.625"	4.5"	10
36130	11.5"	8.25"	4.5"	8
36140	11.5"	11"	4.5"	6
36220	17.5"	6.625"	6.5"	10
36230	17.5"	8.25"	6.5"	8
36240	17.5"	11"	6.5"	6

BINS - CON'T.

Stack-to-Shelf Bins



Industry leading stack-to-shelf bins are constructed of durable industrial-grade plastic and provide a neat and attractive storage solution. The superior construction of these affordable plastic storage bins allows them to be fully loaded without bulging or cracking. Multiple divider slots allow for a greater number of storage options. These bins are a superior alternative to weak and flimsy cardboard bins and work with standard wire or steel shelving. Their one-piece construction is waterproof and unaffected by grease or oil.

Height	Length	Width
4"	11.625"	2.75"
	17.875"	4.125"
	23.625"	6.625"
		8.375"
6"	11.625"	11.125"
	17.875"	4.125"
	23.625"	6.625"
		8.375"
8"	11.625"	11.125"
	15.625"	4.125"
	17.875"	6.625"
	23.625"	8.25"
		16.5"
		22.5"
		33"

Economy Shelf Bins



Model	L	W	H	Load Cap. on Rack (lbs.)
30716	11.875"	6.625"	5"	12
30718	11.875"	8.375"	5"	15
30776	17.875"	6.625"	7"	24
30778	17.875"	8.375"	7"	24
30796	8.875"	6.625"	5"	6

One bin can serve your entire facility. The only small parts storage bin that can nest and stack, versatile economy shelf bins are designed for use in multiple areas. Stacked on a shelf, workbench, or wherever you require small parts storage and organization. Help organize work areas and expand storage space without adding shelving. Bins are resistant to weak acids and alkalis. Sturdy one-piece construction is water, rust, corrosion proof and guaranteed not to break.

Mobile Stacking Bins



Model	L	W	H
30288MOB	23.875"	16.5"	14.5"
30289MOB	23.875"	18.25"	15.5"
30290MOB	29.25"	18.375"	15.5"
30292MOB	29.875"	11"	13.5"
30293MOB	29.875"	16.5"	14.5"

Go mobile! Mobile stacking bins are perfect for transporting heavy or bulky items, offering huge storage capacity and the versatility you need to make the most of your space. These heavy-duty plastic storage bins save space by securely stacking atop each other, and sitting on wire shelving and steel shelving. Resistant to weak acids and alkalis, mobile stacking bins are sturdy; their one-piece construction is water, rust and corrosion-proof. Mobile stacking bins come with (4) 3" swivel casters with brakes. Bins stack with casters installed and have a maximum weight capacity of 200 lbs.


Heavy-Duty Stacking Bins



Model	L	W	H	Capacity (lbs.)
30348	20.5"	8.25"	7"	60
30358	20.5"	11"	7"	75

Heavy-duty stacking bins are rugged, stackable shelf bins. These stacking storage bins are designed for heavy and bulky items. Strong, durable industrial-grade polymer construction.

Inventory Indicator Bins



Effective inventory control at a glance! The two-toned indicator bins are a single-bin system featuring a colored trigger side to indicate low inventory and prevent stock-outs and assembly line interruptions. Never run out of inventory!

HOW TO USE

1. STOCK the Indicator Bin using the divider to designate volume for the inventory reserve.
2. PICK from the blue side of the bin until you reach the divider.
3. FLIP the bin to the orange to indicate low stock.
4. REFILL the bin and repeat!

Model	L	W	H
36442	11.625"	4.25"	4"
36448	17.875"	4.25"	4"
36462	11.625"	6.75"	4"
36468	17.875"	6.625"	4"

Six Compartment Bins



Six compartment storage bins with a sturdy, one-piece design. These compartment bins are water, rust, and corrosion proof, and guaranteed not to break. Bins nest when empty and can be stacked using a dowel rod (not included) for vertical space utilization. Perfect for assembly, kitting, or work-in-process operations.

Model	L	W	H
30312	12"	33"	5"
30318	18"	33"	5"

Hopper-Front Stack Bins



Multipurpose hopper front containers are heavy duty stackable storage containers designed to hold almost anything. These durable plastic storage bins stack to form tall, stable storage arrangements on floors or standard industrial shelving. Quality construction makes them virtually unbreakable with a 75 lb. weight capacity. Large radius corners and reinforced ribbing add strength and stability when stacked. Wide-hopper front allows easy access to bulky items while large comfort grip handles make transporting easy.

Model	L	W	H
13014	17.5"	10.875"	12.5"
13017	15.25"	19.875"	12.44"
13018	17.5"	16.5"	12.5"


TRAYS



Conveyor and assembly trays are specifically designed for component assembly and for compatibility with conveyors or cart transport systems. Various configurations include dropped sides or ends, and stacking designs.




Composite work surface trays are designed for use in assembly, rework, and soldering, areas. They can be continuously used in temperatures ranging from -60°F to 250°F. Resistant to chemicals, flux, and hot solder including cutting oils, greases, mild acids, and alkaline solutions.



Tray mats feature a conductive bottom layer with a static dissipative top, which is ideal for work flow tops.

BULK CONTAINERS

Corrugated Plastic Containers



Shelf Containers are ideal for small inventory parts. Self-locking by folding over ends and securing with tab locks that can be welded.



Nestable Totes are ideal for conveyors, mail rooms and large inventory items. Can be nested to save space.



Design Style Trays have flaps on both sides and ends that are folded to make a tray.

Stacking Containers



Ideal for forgings, machined parts, stampings, ceramics, rubber, and other hot parts emerging from molds or processing machines. Impervious to standard cutting oils, grease, and solvents, and easily cleaned with hot water or steam with standard detergents.

- Heavy duty for sturdy load support
- Stacks securely and protects contents

Model	Inside Dimensions L x W x H	Order Set Qty.	Weight (lbs.)
804008	17" x 11" x 1.625"	20	46
808108	21.125" x 11.125" x 1.25"	30	74
808208	21.125" x 11.125" x 3"	12	45
808308	21" x 11" x 5.875"	6	32
808408	21" x 11" x 4.25"	8	38
814108	18.875" x 9.5" x 3.25"	18	68
814208	18.5" x 9.75" x 4.875"	10	56
814708	18.675" x 9.75" x 2.25"	20	65
848008	25.375" x 19.375" x 1.375"	12	50
870008	23.875" x 15.875" x 2.875"	6	33
875008	23.875" x 15.875" x 4.25"	8	50
880008	23.875" x 15.875" x 5.75"	6	49

Nest and Stack Containers



Perfect for assembly line use, conveyors, and carrying or storing material or fabricated parts. These totes save valuable space, stack when full, and rotate 180° to nest when empty. Molded-in handle areas provide safe ergonomic handles.

- Features reinforced composite material for rough and unique applications
- Optional casters available

Model	Inside Dimensions L x W x H	Order Set Qty.	Weight (lbs.)
780008	35.875" x 17.375" x 14.125"	3	63
780108	35.75" x 17" x 7.25"	5	67
780208	16.5" x 9.5" x 4.875"	10	36
780308	18.375" x 11.375" x 5.875"	10	41
780408	16.375" x 11" x 7.875"	10	48
780508	19.75" x 12.75" x 7.875"	10	61
780608	21" x 16" x 9.875"	5	47
780708	24.875" x 17.375" x 13.125"	5	64
780808	21" x 16" x 5.75"	6	37

Crated Bulk Containers

Crated bulk containers protect product during picking, assembly, processing, storage and distribution applications in many industries, including pharmaceutical, poultry, automotive, appliance, aerospace, bakery, produce, apparel and electronics. Bulk containers are available in light-duty, medium-duty and heavy-duty designs to meet a wide range of application requirements. These pallet containers are available in collapsible, straight-wall, and nestable styles and offer the strength and rugged durability demanded in today's material handling and distribution systems. Add custom designed dunnage for the safe and efficient protection of parts and components throughout your supply chain.



L x W	No. Heights Avail.	Features
47.24" x 39.37"	3	heavy load cap.
30" x 16"	1	heavy duty
32" x 30"	7	high density
40" x 48"	15	heavy load cap.
48" x 45"	21	high efficiency
56" x 48"	4	long products
62" x 48"	3	long, heavy parts
64" x 48"	3	long products
65" x 48"	5	long products
70" x 48"	5	long products
78" x 48"	2	extra long products

Crated Bulk Containers: Accessories

Side-Loading Containers:



Add versatility with side-loading bulk containers; ideal for delivering sequenced parts to the line. Replace heavy metal transport racks with this durable, one-piece bulk solution to handle and deliver parts to the line faster than ever. These containers prevent product shift or damage from dust /contaminants during transport with multiple closure options, including a heavy-duty vinyl curtain with easy Velcro closure.

Detached Covers:



Protect product from dust and contaminants during storage and transport.

Bulk Transfer and Security Containers

Efficient by design, bulk carts and bulk security carts are also highly versatile. The high cube design provides maximum capacity while using less floor or truck space than conventional utility containers. The containers can be outfitted with a wide assortment of options that increase the adaptability to virtually any application and most industries.



Length	Width	Height
48"	29"	56", 67"
60"	29", 30", 33"	40", 75"

Ribbed Wall Shipping and Storage Containers

The ribbed wall design allows these rugged containers to be lighter in weight without compromising strength, stacking ability or the security needed for today's demanding shipping and storage requirements. Lower weight means lower freight costs and increased handling efficiency.



Series	Length	Width	Height
MTL	31"	22"	15"
MTE	41"	28"	26.5"
MTE-L	41.5"	28.75"	30"
MTH	42"	34"	42"
MTW	43"	26.5"	24"
MTG	44"	44"	23"
MTD	44"	44"	29.5"
MTR	45"	30"	33"
MTO	51"	22.5"	19"

Smooth Wall Shipping and Storage Containers

The smooth, seamless design of our smooth wall containers meet the needs of virtually any industry where sanitation or easy clean-up is essential. The wide molded perimeter makes handling easy, while adding strength for those extra heavy loads. The sanitary, easy to clean surface and resistance to moisture, acids, oil and most chemicals makes smooth wall containers the ideal

design for processing, distribution or storage of any bulky item, from frozen food to machine parts.

Series	Length	Width	Height
MTJ	23.5"	20"	41"
MTA	38.5"	26"	16"
MTF	38.5"	26"	25"
MTB	43.5"	29"	29"
MTC	48"	32"	32.5"
MTX	54"	37.5"	29"
SW 5530	56"	25"	30"



Road Cases

The SC and RC lines feature a double wall lid and powder coated, internal steel frame for maximum stacking capability. Lids have molded wheel pockets for secure stacking of RC cases in transit or during storage. The RC models are equipped with heavy duty polyurethane casters, mounted on a recessed 3/4" painted plywood base. Both style cases have four spring loaded, rubber gripped chest handles and two padlock-able wing turn latches.

Series	Length	Width	Height
SC – 4524 – 1	45"	22.5"	25"
SC – 4534 – 1	45"	30"	27.3"
RC – 4524H4	45"	22.5"	31"
RC – 4534H5	45"	30"	34"



Utility Container Trucks

Designed and constructed for rugged industrial use, utility container trucks feature high quality, quiet rolling casters that make maneuvering even in the tightest spots safe and easy. Economical to own, utility container trucks are virtually maintenance free. The smooth, sanitary body is nonabsorbent, easy to clean and is approved for contact with food.

Series	Length	Width	Height
MTA – H	38"	25.5"	19"
UT-3822-H	38"	20"	27"
MTF – H	38"	25.5"	29"
MTE – H	40"	28"	30"
MTV-H	41"	34"	42"
MTB – H	43"	29"	34"
MTC – H	47"	31"	39"
MTX – H	53"	36.5"	35.5"
UT-5530-H	55"	24"	35.5"



Corrugated Steel Containers



Bulk

Bulk containers are the ideal choice for heavy-duty and reusable packaging. Choose from solid steel rigid and folding bulk containers. Flat or corrugated sides and floors available. Great for small parts storage.

- Capacity: up to 6,000 lbs.
- Gate Options: full, half drop, partial or none
- Accessories: feet, casters, runner bars, fork tubes, pin/post, customer ID plates, angle iron or tube corners



Wire Mesh

Rigid and folding wire mesh containers are a premium solution to your product storage needs. 2" x 2" and 2" x 4" mesh are standard and provide excellent product visibility.

- Capacity: up to 6,000 lbs.
- Gate Options: full, half drop, partial or none
- Accessories: feet, casters, runner bars, fork tubes, pin/post, customer ID plates, angle iron or tube corners



Wire Mesh Containers

Heavy-duty

Designed with a heavy-duty base for long life cycles, these feature four latch bolts for quick assembly and include a half drop gate on the long side. When fully-loaded, they stack up to four high.



Inside (Usable)	Overall
30" x 38" x 28"	32" x 40" x 34.5"
38" x 46" x 24"	40" x 48" x 30.5"
30" x 46" x 30"	40" x 48" x 36.5"
38" x 46" x 36"	40" x 48" x 42.5"

Light-duty

Light-duty, all wire containers that offer four-way entry for forklifts and pallet jacks. Each container stacks four high when fully loaded and up to 30 high when collapsed to save valuable floor space.



Inside (Usable)	Overall
31" x 41.5" x 33"	33" x 43" x 39"
38" x 46" x 32"	40" x 48" x 38"
38" x 46" x 39"	40" x 48" x 45.5"
38" x 70" x 40"	40" x 72" x 46"

Corrugated Steel and Wire Mesh Container Accessories



Dolly

Allows for easy movement of containers without the use of a forklift.



Casters

A quick solution to mobilize containers without interfering stackability.



Security Lid

Provides security for parts in storage or transit.



Divider

Allows for multiple products to be stored in one container for maximum utilization.

Stack and Nest Containers

Designed to be nestable and stackable, improve your company's performance with durable, plastic distribution containers. Containers nest snugly and stack when rotated 180°, making storage and distribution simple.

Series	TOP		BOTTOM		OVERALL
	Length	Width	Length	Width	Height
SN6040-270	23.6"	11.6"	21.6"	13.7"	10.7"
SN6040-270 V	23.6"	11.6"	21.6"	13.7"	10.7"

Note: "V" denotes vented side walls.



Nestable Containers with Attached Lids

New plastic hinge design offers better safety features and more durability than traditional metal hinge containers. Ergonomic carrying handles are designed for safer lifting with a multi-fingered lid design that provides tamper-resistant security. Secure plastic hinges make containers safer to handle and easier to recycle at end-of-life.

Series	Duty	Length	Width	Height	Volume (cubic ft.)
DC2012-07	Standard	19.6"	11.6"	9.3"	0.5 ft ³
DC2115-09	Standard	21.9"	15.3"	13.3"	1.3 ft ³
DC2115-09	Heavy	21.9"	15.5"	13.2"	1.3 ft ³
DC2115-12	Standard	21.9"	15.2"	12.7"	1.7 ft ³
DC2115-12	Heavy	21.9"	15.5"	12.8"	1.7 ft ³
DC2115-17	Heavy	21.9"	15.2"	13.0"	2.3 ft ³
DC2515-14	Standard	25.3"	16.3"	13.3"	2.2 ft ³
DC2717-12	Standard	27.3"	17.2"	14.6"	2.5 ft ³
DC2820-15	Heavy	28.1"	20.8"	18.8"	3.8 ft ³



Small Collapsible Containers

Foldable containers provide strong, secure materials handling within minimal space. Collapsible containers are durable and reusable while providing optimal storage and stacking. In addition, these hand-held foldable containers are AIAG 48x45 compatible and offer key features that provide flexible use no matter what your application.

- Available with vented or solid side walls
- Optional access doors available
- Available with flat or cross stack bottom

Series	Length	Width	Height	Folded Height	Volume (cubic ft.)
KD 2415-07	23.9"	22.2"	7.4"	2.8"	1.2 ft ³
KD 2415-09	23.9"	22.2"	9.5"	3.5"	1.6 ft ³
KD 2415-11	23.9"	22.2"	10.9"	3.5"	1.8 ft ³
KD 2415-14	23.9"	22.2"	13.7"	3.5"	2.3 ft ³



Large Collapsible Containers



FEATURES

- Collapsed Height: 25"
- 2 door openings
- 4-way pallet base entry
- Injection molded polypropylene

Dimensions	Length	Width	Height
Outer	48"	56"	50"
Inner	44.5"	52.5"	45"

Thermoformed Containers



Constructed from high-density polyethylene, these thermoformed containers are lighter in weight, making them easier to handle for worker safety and more cost-effective to transport. They don't harbor pests or bacteria, which make them ideal for shipping agricultural, pharmaceutical, and healthcare products. Additionally, they prevent decay in wet climates and offer protection from moisture

FEATURES

- High-density polyethylene
- Overall Width: 44"
- Overall Depth: 54"
- Overall Height: 30.5"

Thermoformed Pallets



Unique lids for pallet pack options, these pallets are thermoformed from single or twin sheets of high density polyethylene and can be configured with optional seat belts for extra secure transport.

FEATURES

- Outer Dimensions: 40" x 48" (standard)
- 4-way entry
- Lipped edges
- Floor Capacity: 2,500 lbs.

Container Sleeves



Sleeve packs are comprised of a pallet, sleeve, and top cap and is an economical collapsible bulk container for lighter weight loads. Select pallets feature a locking tab that secures the sleeve to the pallet and top cap. Sleeves can be fabricated from paper or plastic corrugated materials with custom features designed to meet a variety of applications. Multiple custom sleeve heights and designs are available. Sleeve packs are available with drop panels, split-sleeves, and steel wire reinforced walls; the pallet/top cap design allows for maximum cube utilization in trailers.

FEATURES

- Stackable: up to 4 high with 1,000 lbs., 5 high with 800 lbs.
- Approximate weight per sleeve: 22 lbs.
- Approximate weight per pallet: 19 lbs.

HAMPER TRUCKS

Hamper trucks are a durable option for easy transport of products. Standard caster arrangement is all swivel, caster upgrades available on most products.

Most products offer canvas and vinyl-coated nylon material options. Canvas material offers durability while allowing breathability. Vinyl-coated nylon material allows for easy cleaning.



Large Load - Removable

Steel Frame – Permanent

- Handles at both ends are riveted around the steel rim to provide maximum strength.
- Each unit comes on four swivel non-marking Thermal Plastic Rubber (TPR) casters.
- Available in canvas and vinyl-coated nylon.

Steel Frame – Removable

- Also available in plated steel.
- Can be used in abusive environments without worrying about material tearing away from the frame.
- Each unit comes on four swivel non-marking Thermal Plastic Rubber (TPR) casters.
- Available in canvas and vinyl-coated nylon.

Wood Covered

- Lid provides both security and a handy work surface.
- Comes standard with a lock rod. Snap and chain available upon request.
- Available in canvas and vinyl-coated nylon.

Large Load – Permanent

- Reinforced steel frame and 4" non-marking polyurethane casters make this truck perfect for transporting larger than normal loads.
- Available in canvas and vinyl-coated nylon.

Large Load – Removable

- Reinforced steel frame and 4" non-marking Thermal Plastic Rubber (TPR) casters make this truck perfect for transporting larger than normal loads.
- Available in canvas and vinyl-coated nylon.

Narrow Aisle

- Allows for easy right angle turns.
- Available in canvas and vinyl-coated nylon.

Slanted Front

- Allows for easy loading and unloading, as well as better visibility of contents.
- Available in canvas and vinyl-coated nylon.

Tall Square

- Square design and steel runners ensure both strength and stability. Versatile product, they are as popular and useful on a construction site as they are catching clothes under a laundry chute.
- Available in canvas and vinyl-coated nylon.

Canvas Tall Round

- Round steel frame provides a sturdy shape while the reinforced handles guarantee safer carrying even with the heaviest loads.

Vinyl-Coated Nylon Tall Square with Slanted Front

- Tall design saves space while the slant front provides easy access for loading and unloading.



Slanted Front



Narrow Aisle



Wood Covered



Permanent Frame



Tall Square

HAMPER BASKETS

Each hamper basket comes standard on Northern Hardwood runners, allowing them to slide smoothly across floors, making them ideal for all types of environments such as industrial laundries and delivery trucks. Their flat steel bottom provides added strength and dependability to the base.

Most products offer canvas and vinyl-coated nylon material options. Canvas material offers durability while allowing breathability. Vinyl-coated nylon material allows for easy cleaning.



Permanent Steel Frame

Steel Frame – Permanent

- Available in canvas and vinyl-coated nylon.

Steel Frame – Removable

- Available in plain or plated steel.
- Available in canvas and vinyl-coated nylon.

Tall Square

- Square design ensure both strength and stability.
- Perfect for commercial uses such as catching towels in locker rooms or holding linen in industrial laundries.
- Available in canvas and vinyl-coated nylon.

Tall Round

- Reinforced handles guarantee safer carrying even with the heaviest loads.
- Perfect for commercial uses such as contractors, landscape gardeners, and locker rooms.
- Available in canvas and vinyl-coated nylon.

Canvas Wood Covered

- Comes standard with a lock rod. Snap and chain available upon request.



Wood Covered



Tall Round

CASTERS

Made from industrial grade polyurethane, these casters will not mark up floors. Available in 3", 4", or 5" diameters in rigid and swivel styles.



SPRING LIFT PLATFORM

Designed to keep work within easy reach, eliminating fatigue of stooping and bending. The strength and durability of their steel springs enable them to raise and lower heavy loads with absolute ease.




HANDLES


Smooth surfaced polyethylene handles can service multiple carts. They are lightweight, easy to clean and install in seconds.



Tread Types




Expanded Metal



Perforated



Solid Tread



Grip Strut

Portable Crossover Platform



- Clear height options (base on object to be placed over): 28", 38", 48", 58"
- Clear width options (base on object to be placed over): 10", 22", 32"
- Portable, economical way to bridge equipment, such as conveyors
- Climbing angle is 50°, permitting forward descent
- 300 lbs. load rating
- Ladder rests on four legs with rubber crutch tips and does not need to be secured to the floor
- Complies with all applicable requirements of OSHA 1910.29 and ANSI A14.7 standards
- Powder coat finish: beige, dark brown, yellow, black, green, blue, red, white, orange, and light or dark gray
- Tread types available: expanded metal, grip strut

Lightweight Folding Rolling Ladder



Open



Folded

- Top step height options: 20", 30", 40"
- Perfect for small retail stores and tight work spaces
- 350 lbs. load rating
- 30" high handrails
- In folded form, the ladder stores in less than 10" wide spaces
- The welded construction meets or exceeds the strength and dimensional requirements of OSHA 1910.29, ANSI 14.7, and CAL-OSHA Title 8 safety standards
- Available in steel or aluminum
- Tread types available: perforated, solid, grip strut

Heavy-Duty Rolling Ladder



- Top step height options: 90", 100", 110", 120", 130", 140", 150"
- 50° climbing angle permits forward descent
- 800 lbs. load rating
- Heavy-duty safe lock caster system
- Meets or exceeds OSHA 1910.29, ANSI A14.7; CAL-OSHA models also available
- Powder coat finish: beige, dark brown, yellow, black, green, blue, red, white, orange, and light or dark gray
- Tread types available: expanded metal, perforated, solid, grip strut

450 lb. Capacity Rolling Ladder - Low Reach



- Top step height options: 12", 20", 30", 40", 50", 60", 70", 80", 90", 100", 110"
- Climbing angle is 59°
- One through four step ladders have spring loaded casters that retract whenever weight is applied, immobilizing the ladder; Five step and up have a safe lock system
- Powder coat finish: beige, dark brown, yellow, black, green, blue, red, white, orange, and light or dark gray
- Tread types available: perforated, solid, grip strut

450 lb. Capacity Rolling Safety Ladder - Mid Reach



- Top step height options: 30", 40", 50", 60", 70", 80", 90", 100", 110", 120", 130", 140", 150", 160"
- One through four step ladders have spring loaded casters that retract whenever weight is applied, immobilizing the ladder. Five step and up have a safe lock system.
- Powder coat finish: beige, dark brown, yellow, black, green, blue, red, white, orange, and light or dark gray
- Tread types available: expanded metal, perforated, solid, grip strut

450 lb. Capacity Rolling Ladder - High Reach



- Top step height options: 50", 60", 70", 80", 90", 100", 110", 120", 130", 140", 150", 160", 170", 180", 190", 200"
- Foot pedal activated lockstep
- Built to OSHA and ANSI standards; CAL-OSHA available
- Gray powder coat finish
- Tread types available: perforated, solid, grip strut

600 lb. Capacity Stock Picking Rolling Ladder with Cart



- Top step height options: 60", 70", 80", 90", 100", 110", 120"
- Combines the benefits of a rolling safety ladder and a stock-picking cart
- Combined 600 lb. capacity: maximum 450 lbs. for ladder, 300 lbs. for storage shelves
- 2 shelves on 6 - 7 step models, 3 shelves on 8 - 12 step models
- Built to OSHA and ANSI standards; CAL-OSHA available
- Gray powder coat finish
- Tread types available: expanded metal, perforated, solid, grip strut

PALLET TRUCKS

Designed for smooth operation and easy handling for less fatigue and higher efficiency. Constructed to maintain optimal contact with floor, which helps users easily maneuver across dock plates, in and out of trailers and over uneven floors.

Pallet trucks feature solid construction and generous use of steel – especially at critical stress points – to deliver long-lasting performance as well as offer corrosion and rust protection. The steer and load wheels are engineered with high quality components and bearings to provide a low rolling resistance.

Manual Pallet Truck



- One-piece formed forks for maximum durability
- Hydraulic system tested to more than one million cycles
- Capacity: 5,000 lbs.
- Size options:
 - 27"W, 48"L, 6.3" fork width
 - 20"W, 48"L, 6.3" fork width
 - 20"W, 36"L, 6.3" fork width

TRAY OPTION

- Features a factory installed load tray with 50 lb. capacity.
- Ideal for storage or transportation of small items.
- 27"W, 48"L, 6.3" fork width

Scissor Lift Pallet Truck



- Features an electrically powered hydraulic system
- Compatible with skids, totes and open-bottom pallets
- Also available with manual operation
- Capacity: 2,200 lbs.
- Size: 21.25"W x 5.3"L x 6.3" fork width

Motorized Pallet Truck



- Increased maneuverability and productivity
- Easy-to-use controls with programmable performance levels
- Capacity: 4,500 lbs.
- 28"W

Heavy-duty fans are perfect for truck cooling, picking lines, workstations, aisles, shipping docks, personal cooling, condensation control and more. Wherever you need air circulation, there's a fan option that can reach it.

Multi-Functional Fans



- Mounting options available to suite many different environments.
- Mounting Options:
 - Column Wall Mount
 - Vehicle Mount
 - Portable Base – with wheels
 - Portable Base – no wheels
 - Rack/Pick Module mount

Size	Air Throw Distance
10"	40'
14"	60'
18"	80'
22"	120'
26"	150'
30"	200'
34"	230'

Ceiling Fans



- A unique 5-blade design that utilizes flaps to produce more CFM at a lower RPM
- Available in customer colors
- Energy efficient

Size	Max Effective Area
8'	4,060 ft ²
10'	6,850 ft ²
12'	9,425 ft ²
14'	12,035 ft ²
16'	13,915 ft ²
18'	16,218 ft ²
20'	17,607 ft ²
24'	20,000 ft ²

Shop Floor Fans



- Available sizes: 30", 34"
- Heavy-duty fans are easy to maneuver through doorways and open aisles.
- Quality Marathon ODP motor, 3-speed, 115V, thermally protected
- Factory wired 12-ft cord with plug and rotary switch
- OSHA-approved spiral wire finger guard

INDUSTRIAL WORKBENCHES AND WORKSTATIONS

The right workbench can help increase employee comfort and productivity. With many customization options, an ergonomic design, and heavy-duty craftsmanship, there is a workbench solution for every operation.

Workbenches can be customized to fit individual requirements, including table heights, work surfaces, drawers, hooks, cabinets, shelves, etc. Workbenches can be welded together and shipped to you ready to use, saving you valuable set-up time.

Industrial Bench Tops



Wood Comp (Particle Board Core)

- 45 lb. industrial grade particle board core
- 1.75" thick
- 0.375" thick top and bottom
- Banded on all sides with lumber



Plastic SE (Particle Board Core)

- 45 lb. industrial grade particle board core
- 1.625" thick
- High-pressure laminate top and sides
- 90° corners, edged in vinyl



Economy Top (Particle Board Core)

- 45 lb. industrial grade particle board core
- 1.25" thick
- 0.125" thick top



Maple "Butcher" Block

- Solid wood laminated strips
- 1.75" thick
- Edge-grained
- Edge Styles: standard, bullnose, and straight



Plastic TM

- 45 lb. industrial grade particle board core
- 1.25" thick
- High-pressure laminate top
- Rounded corners, edged in vinyl



Maple Locker Bench

- Solid wood laminated strips
- 1.25" thick
- Edge-grained
- All corners and edges come machined with a 0.375" radius

Packaging Stations



Specifically designed to keep the most frequently used materials easily within arms reach for added comfort and increased accessibility. Task-specific components allow for the creation of the complete packaging station.

COMPONENTS

- Under-bench carton storage
- Under-bench tissue shelf
- Overhead carton storage
- Overhead support frame
- Adjustable catalog shelf
- Height adjusters (31" - 37")
- Bin rail
- Shop light
- Four outlet power strip
- Slide-out keyboard tray
- Overhead roll holder
- Flat screen monitor arm

STANDARD STYLE

- Basic packing bench
- Complete packing bench
- Wood comp, laminate, and maple tops

STANDARD OVERALL SIZES

- 30" D x 60" W x 31" H
- 30" D x 72" W x 31" H

Cabinet Workstations

Designed to do much more than store items, cabinet workbenches easily become an integral part of the operation. The cabinet interiors are undivided and have an adjustable full width shelf. All door handles have locks, and the drawers utilize 100 lb, full extension ball bearing slides. The 4" clearance above the floor allows workers to clean under the cabinets as needed. Add one or more of the following components to complete your work area.



COMPONENTS

- Overhead support frame
- Full width 24" pegboard (0.25" holes)
- Bin rails
- Shop light (without bulbs.)
- Pegboard shelves
- 14" x 14" overhead lockers
- 4-outlet power strip

STANDARD CABINET STYLE

- Standard cabinet styles
- Doors only
- Doors & horizontally arranged drawers
- Doors & vertically arranged drawers
- Sliding doors

STANDARD OVERALL SIZES

- 30" D x 60" W x 34" H
- 30" D x 72" W x 34" H
- 30" D x 96" W x 34" H

Workbenches

For heavy-duty jobs, tubular steel leg workbenches have superior understructure and strength. From the industrial grade bench tops to the leveling glides under each leg, there simply isn't a better workbench. For a complete bench system to meet practically every need, casters can make the bench mobile and a riser bench can provide additional space.



COMPONENTS

- 6" height adjustment
- Casters
- Lower shelf
- Bench support apron
- Stabilizing gussets
- Drawer
- 12" riser supports
- Coordinated riser shelf
- Back and end bench stops
- Back and end riser stops
- 4-outlet power strip

STANDARD BENCH SIZES

- Depths: 24", 30", 36"
- Widths: 48", 60", 72", 96"
- Fixed Heights: 28", 31", 34", 37"

BENCH TOP OPTIONS

- Wood comp
- Laminate
- Steel
- Maple



In-Plant Offices



FEATURES

- Extruded aluminum framework with a scratch-resistant poly-coating
- Heavy-duty 18-gauge steel door frames; matching epoxy powder-coated finish
- Industrial-grade acoustical grid ceiling

OPTIONS

- Pre-glazed fixed window panels in “clean room” type frames
- Superior sound control items, such as sound batts and rubber fillers
- Air conditioning units, heaters and exhaust fans

High Wall Structures



FEATURES

- High wall systems up to 24' for any application requiring additional overhead space
- Free-standing or floor-to-ceiling walls/partitions; connects to steel ceiling structure
- Custom installation around existing pipes/structures
- Industrial-grade acoustical grid ceilings
- Fully insulated walls

Clean Rooms



FEATURES

- Wall panels and finishes to comply with any standard
- Ceilings, windows, and doors designed especially for clean room use
- Clean room-specific lighting, piping, duct work, HVAC, and fan filtration units
- Clean room electrical systems and controls
- Safety equipment (stairs, handrails, non-slip flooring)

OPTIONS

- Door interlocks with ULPA filtration
- Pass-through chambers, air locks, air showers, and gowning rooms
- Central vacuum system
- Environment control option panels
- Sprinklers/smoke detectors
- Humidifiers/dehumidifiers



Guard Buildings



FEATURES

- Standard sizes range from 3' x 4' to 10' x 16'; standard height is 8'
- Constructed on a welded steel base made of 5" structural channel
- Unit frames are 6" above grade to prevent debris collection
- Self-contained extruded aluminum gutters
- Forklift pockets for easy relocation

Applications

- Guard Booths
- Gate Houses
- Observation Towers
- Parking Booths
- Valet Booths
- Security Booths
- Toll Booths

Blast and Ballistic Structures



Designed to provide maximum protection.

- Blast protection against terrorist attacks
- Blast protection against accidental petrochemical explosions
- Blast protection against accidental industrial explosions
- High speed fragment protection
- Ballistic protection

APPLICATIONS

- Blast Bunkers
- Control Rooms
- Shelter-in-Place
- Hurricane, Tornado Shelters
- Operational and Command Centers
- Communication, Data/Server Rooms
- SCIFs
- Offices
- Labs
- Remote Instrument Enclosures

Modular and Flat Pack Containers



Modular containers allow for easy transport to multiple locations, and can be modified for any application, whether permanent or temporary. Flat Pack containers collapse for easy transport and storage; they are ideal for storage, low-cost temporary housing, emergency response, construction sites, and barracks because of their reusable nature.

APPLICATIONS

- Modular office, shelter, shop, or command centers
- Mobile medical facilities
- Alternative residential housing, disaster relief housing
- Communications Equipment Shelters
- Concession Stands
- Ticket Booths
- Hunting Shelters

Contact REB Storage Systems International to speak with one of our material handling specialists who can answer any questions you may have regarding your storage requirements.

For more than 50 years, REB Storage Systems International has handled every aspect of racking, shelving, and material handling needs of some of the world's biggest and most successful companies. We are the exclusive racking and shelving designer and installer for many Fortune 500 companies, and have extensive experience designing custom solutions for small and medium businesses. We hope you will invite us to help you.

CONTACT



Global Toll Free: (800) 252-5955
Local: (773) 252-0400



mhp@rebstorage.com



(773) 252-0303



www.rebstorage.com



4556 W. Grand Ave.
Chicago, IL 60639



HEADQUARTERS

REB Storage Systems International
4556 W. Grand Ave.
Chicago, IL 60639

Phone: 773-252-0400
Global Toll Free: 800-252-5955
Fax: 773-252-0303

www.rebstorage.com

REB is capable of servicing companies on a local, national, and international scale. Our Chicago corporate headquarters includes a 100,000 sq. ft. warehouse and distribution center.

Additional Locations

CA, ME, MA, MI, NY, PA, TX,
VA, FL, and Dublin, Ireland.